

FILIERE





since 1991

PENTAGON

Întotdeauna Soluția Potrivită

SA225HM

**Filieră, filet metric pas normal
DIN EN 22568 - STAS 1160 - HSS**





M = metric pas normal; D = Diametrul (mm)
d = diametrul arborelui înainte de filetare (mm)

Cod	M	Pas	D	d	Cod	M	Pas	D	d
SA225H0010	M 1	0.25	16	0.97	SA225H0110	M 11	1.5	30	10.85
SA225H0011	M 1.1	0.25	16	1.07	SA225H0120	M 12	1.75	38	11.83
SA225H0012	M 1.2	0.25	16	1.17	SA225H0140	M 14	2	38	13.82
SA225H0014	M 1.4	0.3	16	1.36	SA225H0160	M 16	2	45	15.82
SA225H0016	M 1.6	0.35	16	1.54	SA225H0180	M 18	2.5	45	17.79
SA225H0017	M 1.7	0.35	16	1.60	SA225H0200	M 20	2.5	45	19.79
SA225H0018	M 1.8	0.35	16	1.74	SA225H0220	M 22	2.5	55	21.79
SA225H0020	M 2	0.4	16	1.93	SA225H0240	M 24	3	55	23.76
SA225H0022	M 2.2	0.45	16	2.13	SA225H0270	M 27	3	65	26.76
SA225H0023	M 2.3	0.4	16	2.25	SA225H0300	M 30	3.5	65	29.73
SA225H0025	M 2.5	0.45	16	2.43	SA225H0330	M 33	3.5	65	32.73
SA225H0030	M 3	0.5	20	2.92	SA225H0360	M 36	4	65	35.7
SA225H0035	M 3.5	0.6	20	3.41	SA225H0390	M 39	4	75	38.7
SA225H0040	M 4	0.7	20	3.91	SA225H0420	M 42	4.5	75	41.69
SA225H0045	M 4.5	0.75	20	4.41	SA225H0450	M 45	4.5	90	44.69
SA225H0050	M 5	0.8	20	4.9	SA225H0480	M 48	5	90	47.66
SA225H0060	M 6	1	20	5.88	SA225H0520	M 52	5	90	51.66
SA225H0070	M 7	1	25	6.88	SA225H0560	M 56	5.5	105	55.65
SA225H0080	M 8	1.25	25	7.87	SA225H0600	M 60	5.5	105	59.65
SA225H0090	M 9	1.25	25	8.87	SA225H0640	M 64	6	120	63.62
SA225H0100	M 10	1.5	30	9.85	SA225H0680	M 68	6	120	67.62

SA225HS

**Filieră, filet metric pas fin
DIN EN 22568 - STAS 1160 - HSS**




MF = metric pas fin; D = Diametrul (mm)
d = diametrul arborelui înainte de filetare (mm)

Cod	M	Pas	D	d	Cod	M	Pas	D	d
SA225HS0020	M 2	0.25	16	1.97	SA225HS0161	M 16	1	45	15.88
SA225HS0025	M 2.5	0.35	16	2.44	SA225HS0162	M 16	1.5	45	15.85
SA225HS0030	M 3	0.35	20	2.94	SA225HS0171	M 17	1	45	16.38
SA225HS0035	M 3.5	0.35	20	3.44	SA225HS0172	M 17	1.5	45	16.85
SA225HS0040	M 4	0.5	20	3.93	SA225HS0181	M 18	1	45	17.88
SA225HS0045	M 4.5	0.5	20	4.43	SA225HS0182	M 18	1.5	45	17.85
SA225HS0050	M 5	0.5	20	4.93	SA225HS0183	M 18	2	45	17.82
SA225HS0055	M 5.5	0.5	20	5.43	SA225HS0201	M 20	1	45	19.88
SA225HS0061	M 6	0.5	20	5.92	SA225HS0202	M 20	1.5	45	19.85
SA225HS0062	M 6	0.75	20	5.91	SA225HS0203	M 20	2	45	19.82
SA225HS0070	M 7	0.75	25	6.9	SA225HS0221	M 22	1	55	21.88
SA225HS0081	M 8	0.75	25	7.9	SA225HS0222	M 22	1.5	55	21.85
SA225HS0082	M 8	1	25	7.88	SA225HS0223	M 22	2	55	21.82
SA225HS0091	M 9	0.75	25	8.9	SA225HS0241	M 24	1	55	23.88
SA225HS0092	M 9	1	25	8.88	SA225HS0242	M 24	1.5	55	23.85
SA225HS0101	M 10	0.75	30	9.9	SA225HS0243	M 24	2	55	23.82
SA225HS0102	M 10	1	30	9.88	SA225HS0251	M 25	1.5	55	24.85
SA225HS0103	M 10	1.25	30	9.86	SA225HS0252	M 25	2	65	24.82
SA225HS0111	M 11	0.75	30	10.91	SA225HS0261	M 26	1.5	55	25.85
SA225HS0112	M 11	1	30	10.88	SA225HS0262	M 26	2	65	25.82
SA225HS0121	M 12	1	38	11.88	SA225HS0271	M 27	1	65	26.88
SA225HS0122	M 12	1.25	38	11.86	SA225HS0272	M 27	1.5	65	26.85
SA225HS0123	M 12	1.5	38	11.85	SA225HS0273	M 27	2	65	26.82
SA225HS0141	M 14	1	38	13.88	SA225HS0281	M 28	1.5	65	27.85
SA225HS0142	M 14	1.25	38	13.86	SA225HS0282	M 28	2	65	27.82
SA225HS0143	M 14	1.5	38	13.85	SA225HS0301	M 30	1	65	29.88
SA225HS0151	M 15	1	38	14.88	SA225HS0302	M 30	1.5	65	29.85
SA225HS0152	M 15	1.5	38	14.85	SA225HS0303	M 30	2	65	29.82


Cod	M	Pas	D	d	Cod	M	Pas	D	d
SA225HS0321	M 32	1.5	65	31.85	SA225HS0422	M 42	2	75	41.82
SA225HS0322	M 32	2	65	31.82	SA225HS0423	M 42	3	75	41.76
SA225HS0331	M 33	1.5	65	32.85	SA225HS0451	M 45	1.5	90	44.85
SA225HS0332	M 33	2	65	32.82	SA225HS0452	M 45	2	90	44.82
SA225HS0350	M 35	1.5	65	34.85	SA225HS0453	M 45	3	90	44.76
SA225HS0361	M 36	1.5	65	35.85	SA225HS0481	M 48	1.5	90	47.85
SA225HS0362	M 36	2	65	35.82	SA225HS0482	M 48	2	90	47.82
SA225HS0363	M 36	3	65	35.76	SA225HS0483	M 48	3	90	47.76
SA225HS0391	M 39	1.5	75	38.85	SA225HS0501	M 50	1.5	90	49.85
SA225HS0392	M 39	2	75	38.82	SA225HS0502	M 50	2	90	49.82
SA225HS0393	M 39	3	75	38.76	SA225HS0503	M 50	3	90	49.76
SA225HS0401	M 40	1.5	75	39.85	SA225HS0521	M 52	1.5	90	51.85
SA225HS0402	M 40	2	75	39.82	SA225HS0522	M 52	2	90	51.82
SA225HS0403	M 40	3	75	39.76	SA225HS0523	M 52	3	90	51.76
SA225HS0421	M 42	1.5	75	41.85					

SA225HSL

**Filieră, filet metric pas fin
aschiere stânga, DIN EN 22568 - STAS 1160
HSS**



Toleranță 6g





M = metric pas fin; D = Diametrul (mm)
d = diametrul arborelui înainte de filetare (mm)

Cod	M	Pas	D	d	Cod	M	Pas	D	d
SA225HSL0025	M 2.5	0.35	16	2.44	SA225HSL0250	M 25	1.5	55	24.85
SA225HSL0030	M 3	0.35	20	2.94	SA225HSL0261	M 26	1	55	25.88
SA225HSL0035	M 3.5	0.35	20	3.44	SA225HSL0262	M 26	1.5	55	25.85
SA225HSL0040	M 4	0.5	20	3.93	SA225HSL0271	M 27	1	65	26.88
SA225HSL0045	M 4.5	0.5	20	4.43	SA225HSL0272	M 27	1.5	65	26.85
SA225HSL0050	M 5	0.5	20	4.93	SA225HSL0273	M 27	2	65	26.82
SA225HSL0055	M 5.5	0.5	20	5.43	SA225HSL0281	M 28	1.5	65	27.85
SA225HSL0061	M 6	0.5	20	5.92	SA225HSL0282	M 28	2	65	27.82
SA225HSL0062	M 6	0.75	20	5.91	SA225HSL0301	M 30	1	65	29.88
SA225HSL0070	M 7	0.75	25	6.9	SA225HSL0302	M 30	1.5	65	29.85
SA225HSL0081	M 8	0.75	25	7.9	SA225HSL0303	M 30	2	65	29.82
SA225HSL0082	M 8	1	25	7.88	SA225HSL0320	M 32	1.5	65	31.85
SA225HSL0091	M 9	0.75	25	8.9	SA225HSL0331	M 33	1.5	65	32.85
SA225HSL0092	M 9	1	25	8.88	SA225HSL0332	M 33	2	65	32.82
SA225HSL0101	M 10	0.75	30	9.9	SA225HSL0350	M 35	1.5	65	34.85
SA225HSL0102	M 10	1	30	9.88	SA225HSL0361	M 36	1.5	65	35.85
SA225HSL0103	M 10	1.25	30	9.86	SA225HSL0362	M 36	2	65	35.82
SA225HSL0111	M 11	0.75	30	10.91	SA225HSL0363	M 36	3	65	35.76
SA225HSL0112	M 11	1	30	10.88	SA225HSL0391	M 39	1.5	75	38.85
SA225HSL0121	M 12	1	38	11.88	SA225HSL0392	M 39	2	75	38.82
SA225HSL0122	M 12	1.25	38	11.86	SA225HSL0393	M 39	3	75	38.76
SA225HSL0123	M 12	1.5	38	11.85	SA225HSL0400	M 40	1.5	75	39.85
SA225HSL0141	M 14	1	38	13.88	SA225HSL0421	M 42	1.5	75	41.85
SA225HSL0142	M 14	1.25	38	13.86	SA225HSL0422	M 42	2	75	41.82
SA225HSL0143	M 14	1.5	38	13.85	SA225HSL0423	M 42	3	75	41.76
SA225HSL0151	M 15	1	38	14.88	SA225HSL0451	M 45	1.5	90	44.85
SA225HSL0152	M 15	1.5	38	14.85	SA225HSL0452	M 45	2	90	44.82
SA225HSL0161	M 16	1	45	15.88	SA225HSL0453	M 45	3	90	44.76
SA225HSL0162	M 16	1.5	45	15.85	SA225HSL0481	M 48	1.5	90	47.85
SA225HSL0171	M 17	1.5	45	16.38	SA225HSL0482	M 48	3	90	47.82
SA225HSL0172	M 17	1	45	16.85	SA225HSL0483	M 48	2	90	47.76
SA225HSL0181	M 18	1	45	17.88	SA225HSL0500	M 50	1.5	90	49.85
SA225HSL0182	M 18	1.5	45	17.85	SA225HSL0521	M 52	1.5	90	51.85
SA225HSL0183	M 18	2	45	17.82	SA225HSL0522	M 52	2	90	51.82
SA225HSL0201	M 20	1	45	19.88	SA225HSL0523	M 52	3	90	51.76
SA225HSL0202	M 20	1.5	45	19.85	SA225HSL0551	M 55	1.5	105	54.85
SA225HSL0203	M 20	2	45	19.82	SA225HSL0552	M 55	2	105	54.82
SA225HSL0221	M 22	1	55	21.88	SA225HSL0553	M 55	3	105	54.76
SA225HSL0222	M 22	1.5	55	21.85	SA225HSL0554	M 55	4	105	54.73
SA225HSL0223	M 22	2	55	21.82	SA225HSL0561	M 56	1.5	105	55.85
SA225HSL0241	M 24	1	55	23.88	SA225HSL0562	M 56	2	105	55.82
SA225HSL0242	M 24	1.5	55	23.85	SA225HSL0563	M 56	3	105	55.76
SA225HSL0243	M 24	2	55	23.82	SA225HSL0564	M 56	4	105	55.73

SA225HE

**Filieră, filet metric pas normal
DIN EN 22568 - STAS 1160 - HSS-E**





M = metric pas normal; D = Diametrul (mm)
d = diametrul arborelui înainte de filetare (mm)

SA225HE0020	M 2	0.4	16	1.93
SA225HE0022	M 2.2	0.45	16	2.13
SA225HE0025	M 2.5	0.45	16	2.43
SA225HE0030	M 3	0.5	20	3.92
SA225HE0035	M 3.5	0.6	20	3.41
SA225HE0040	M 4	0.7	20	3.91
SA225HE0045	M 4.5	0.75	20	4.41
SA225HE0050	M 5	0.8	20	4.9
SA225HE0060	M 6	1	20	5.88
SA225HE0070	M 7	1	25	6.88
SA225HE0080	M 8	1.25	25	7.87
SA225HE0090	M 9	1.25	25	8.87
SA225HE0100	M 10	1.5	30	9.85

SA225HE0110	M 11	1.5	30	10.85
SA225HE0120	M 12	1.75	38	11.83
SA225HE0140	M 14	2	38	13.82
SA225HE0160	M 16	2	45	15.82
SA225HE0180	M 18	2.5	45	17.79
SA225HE0200	M 20	2.5	45	19.79
SA225HE0220	M 22	2.5	55	21.79
SA225HE0240	M 24	3	55	23.76
SA225HE0270	M 27	3	65	26.76
SA225HE0300	M 30	3.5	65	29.73
SA225HE0330	M 33	3.5	65	32.73
SA225HE0360	M 36	4	65	35.7
SA225HE0480	M 48	5	90	47.66

SA225HEF

**Filieră, filet metric pas fin
DIN EN 22568 - STAS 1160 - HSS-E**




M = metric pas fin; D = Diametrul (mm)
d = diametrul arborelui înainte de filetare (mm)

Cod	M	Pas	D	d
SA225HEF0025	M 2.5	0.35	16	2.44
SA225HEF0030	M 3	0.35	20	2.94
SA225HEF0035	M 3.5	0.35	20	3.44
SA225HEF0040	M 4	0.5	20	3.93
SA225HEF0045	M 4.5	0.5	20	4.43
SA225HEF0050	M 5	0.5	20	4.93
SA225HEF0060	M 6	0.75	20	5.91
SA225HEF0070	M 7	0.75	25	6.9
SA225HEF0081	M 8	0.75	25	7.9
SA225HEF0082	M 8	1	25	7.87
SA225HEF0090	M 9	1	25	8.88
SA225HEF0101	M 10	0.75	30	9.9
SA225HEF0102	M 10	1	30	9.88
SA225HEF0103	M 10	1.25	30	9.86
SA225HEF0121	M 12	1	38	11.88
SA225HEF0122	M 12	1.25	38	11.86
SA225HEF0123	M 12	1.5	38	11.85
SA225HEF0141	M 14	1	38	13.88
SA225HEF0142	M 14	1.25	38	13.86
SA225HEF0142	M 14	1.5	38	13.85
SA225HEF0151	M 15	1	38	14.88
SA225HEF0152	M 15	1.5	38	14.85
SA225HEF0161	M 16	1	45	15.88
SA225HEF0162	M 16	1.5	45	15.85
SA225HEF0171	M 17	1	45	16.88
SA225HEF0172	M 17	1.5	45	16.85
SA225HEF0181	M 18	1	45	17.88
SA225HEF0182	M 18	1.5	45	17.85
SA225HEF0183	M 18	2	45	17.82
SA225HEF0201	M 20	1	45	19.88
SA225HEF0202	M 20	1.5	45	19.85
SA225HEF0203	M 20	2	45	19.82



Cod	M	Pas	D	d
SA225HEF0221	M 22	1	55	21.88
SA225HEF0222	M 22	1.5	55	21.85
SA225HEF0223	M 22	2	55	21.82
SA225HEF0241	M 24	1	55	23.88
SA225HEF0242	M 24	1.5	55	23.85
SA225HEF0243	M 24	2	55	23.82
SA225HEF0250	M 25	1.5	55	24.85
SA225HEF0260	M 26	1.5	55	25.85
SA225HEF0271	M 27	1	65	26.88
SA225HEF0272	M 27	1.5	65	26.85
SA225HEF0273	M 27	2	65	26.82
SA225HEF0281	M 28	1.5	65	27.85
SA225HEF0282	M 28	2	65	27.82
SA225HEF0301	M 30	1	65	29.88
SA225HEF0302	M 30	1.5	65	29.85
SA225HEF0303	M 30	2	65	29.82
SA225HEF0320	M 32	1.5	65	31.85
SA225HEF0331	M 33	1.5	65	32.85
SA225HEF0332	M 33	2	65	32.82
SA225HEF0350	M 35	1.5	65	34.85
SA225HEF0361	M 36	1.5	65	35.85
SA225HEF0362	M 36	2	65	35.82
SA225HEF0363	M 36	3	65	35.76
SA225HEF0400	M 40	1.5	75	39.85
SA225HEF0421	M 42	1.5	75	41.85
SA225HEF0422	M 42	2	75	41.82
SA225HEF0451	M 45	1.5	90	44.85
SA225HEF0452	M 45	2	90	44.82
SA225HEF0480	M 48	1.5	90	47.85
SA225HEF0521	M 52	1.5	90	51.85
SA225HEF0522	M 52	2	90	51.82
SA225HEF0523	M 52	3	90	51.76

SA225HSS

Filieră, filet Withworth
DIN EN 22568 - STAS 1160 - HSS



Toleranță medie




W = filet withworth; D = Diametrul (mm)
d = diametrul arborelui înainte de filetare (mm)



Cod	W	Z ^{1/2}	D	d	Cod	W	Z ^{1/2}	D	d
SA225HSS0116	W 1/16"	60	16	1.5	SA225HSS0058	W 5/8"	11	45	15.72
SA225HSS0332	W 3/32"	48	16	2.3	SA225HSS0034	W 3/4"	10	45	18.89
SA225HSS0018	W 1/8"	40	20	3.1	SA225HSS0078	W 7/8"	9	55	22.1
SA225HSS0532	W 5/32"	32	20	3.88	SA225HSS0100	W 1"	8	55	25.27
SA225HSS0316	W 3/16"	24	20	4.66	SA225HSS0118	W 1-1/8"	7	65	28.44
SA225HSS0732	W 7/32"	24	20	5.46	SA225HSS0114	W 1-1/4"	7	65	31.61
SA225HSS0014	W 1/4"	20	20	6.24	SA225HSS0138	W 1-3/8"	6	65	34.77
SA225HSS0516	W 5/16"	18	25	7.82	SA225HSS0112	W 1-1/2"	6	75	37.95
SA225HSS0038	W 3/8"	16	30	9.4	SA225HSS0158	W 1-5/8"	5	75	41.11
SA225HSS0716	W 7/16"	14	30	10.98	SA225HSS0134	W 1-3/4"	5	90	44.28
SA225HSS0012	W 1/2"	12	38	12.56	SA225HSS0178	W 1-7/8"	4.5	90	47.3
SA225HSS0916	W 9/16"	12	38	14.14	SA225HSS0200	W 2"	4.5	90	50.62

SA225HSW

Filieră, filet Withworth fin
DIN EN 22568 - STAS 1160 - HSS



Toleranță medie




W = filet withworth fin; D = Diametrul (mm)
d = diametrul arborelui înainte de filetare (mm)



Cod	W	Z ^{1/2}	D	d	Cod	W	Z ^{1/2}	D	d
SA225HSW0316	W 3/16"	32	20	4.67	SA225HSW0916	W 9/16"	16	38	14.16
SA225HSW0014	W 1/4"	26	20	6.25	SA225HSW0058	W 5/8"	14	45	15.73
SA225HSW0516	W 5/16"	22	25	7.83	SA225HSW0034	W 3/4"	12	45	18.89
SA225HSW0038	W 3/8"	20	30	9.41	SA225HSW0038	W 3/8"	20	30	9.41
SA225HSW0716	W 7/16"	18	30	10.99	SA225HSW0078	W 7/8"	11	55	22.11
SA225HSW0012	W 1/2"	16	38	12.57	SA225HSW0100	W 1"	10	55	25.28

SA225HSA

Filieră, filet american UNC
DIN EN 22568 - STAS 1160 - HSS



Toleranță 2A




UNC = filet american; D = Diametrul (mm)
d = diametrul arborelui înainte de filetare (mm)



Cod	W	Z ^{1/2}	D	d	Cod	W	Z ^{1/2}	D	d
SA225HSA0040	Nr. 4	40	20	2.76	SA225HSA9160	UNC 9/16"	12	38	14.1
SA225HSA0050	Nr. 5	40	20	3.09	SA225HSA5800	UNC 5/8"	11	45	15.68
SA225HSA0060	Nr. 6	32	20	3.41	SA225HSA3400	UNC 3/4"	10	45	18.84
SA225HSA0080	Nr. 8	32	20	4.07	SA225HSA7800	UNC 7/8"	9	55	22
SA225HSA0100	Nr. 10	24	20	4.71	SA225HSA1000	UNC 1"	8	55	25.16
SA225HSA0120	Nr. 12	24	20	5.37	SA225HSA1180	UNC 1-1/8"	7	65	28.31
SA225HSA1400	UNC 1/4"	20	20	6.22	SA225HSA1140	UNC 1-1/4"	7	65	31.49
SA225HSA5160	UNC 5/16"	18	25	7.8	SA225HSA1380	UNC 1-3/8"	6	65	34.63
SA225HSA3800	UNC 3/8"	16	30	9.37	SA225HSA1120	UNC 1-1/2"	6	75	37.81
SA225HSA7160	UNC 7/16"	14	30	10.95	SA225HSA1340	UNC 1-3/4"	5	90	44.12
SA225HSA1200	UNC 1/2"	13	38	12.52	SA225HSA2000	UNC 2"	4.5	90	50.45

SA225HSF

**Filieră, filet american UNF
DIN EN 22568 - STAS 1160 - HSS**



Toleranță 2A




UNC = filet american; D = Diametrul (mm)
d = diametrul arborelui înainte de filetare (mm)



Cod	W	Z ^{1/2}	D	d	Cod	W	Z ^{1/2}	D	d
SA225HSF0040	Nr. 4	48	20	2.77	SA225HSF1200	UNF 1/2"	20	38	12.56
SA225HSF0050	Nr. 5	44	20	3.1	SA225HSF9160	UNF 9/16"	18	38	14.14
SA225HSF0060	Nr. 6	40	20	3.42	SA225HSF5800	UNF 5/8"	18	45	15.73
SA225HSF0080	Nr. 8	36	20	4.08	SA225HSF3400	UNF 3/4"	16	45	18.89
SA225HSF0100	Nr. 10	32	20	4.73	SA225HSF7800	UNF 7/8"	14	55	22.05
SA225HSF0120	Nr. 12	28	20	5.38	SA225HSF1000	UNF 1"	12	55	25.21
SA225HSF1400	UNF 1/4"	28	20	6.24	SA225HSF1180	UNF 1-1/8"	12	65	28.38
SA225HSF5160	UNF 5/16"	24	25	7.82	SA225HSF1140	UNF 1-1/4"	12	65	31.56
SA225HSF3800	UNF 3/8"	24	30	9.41	SA225HSF1380	UNF 1-3/8"	12	65	34.73
SA225HSF7160	UNF 7/16"	20	30	10.98	SA225HSF1120	UNF 1-1/2"	12	75	37.91

SA225HSG

**Filiera, filet gaz
DIN EN 22568 - STAS 1160 - HSS**



Toleranță 2A




BSP = filet gaz; D = Diametrul (mm)
d = diametrul arborelui înainte de filetare (mm)


Cod	W	Z ^{1/2}	D	d	Cod	W	Z ^{1/2}	D	d
SA225HSG0160	G 1/16"	28	25	7.62	SA225HSG0138	G 1-3/8"	11	90	44.14
SA225HSG0018	G 1/8"	28	30	9.62	SA225HSG0112	G 1-1/2"	11	90	47.62
SA225HSG0014	G 1/4"	19	38	13.03	SA225HSG0134	G 1-3/4"	11	105	53.57
SA225HSG0038	G 3/8"	19	45	16.54	SA225HSG0200	G 2"	11	105	59.43
SA225HSG0012	G 1/2"	14	45	20.81	SA225HSG0214	G 2-1/4"	11	120	65.49
SA225HSG0058	G 5/8"	14	55	22.77	SA225HSG0212	G 2-1/2"	11	120	74.97
SA225HSG0034	G 3/4"	14	55	26.3	SA225HSG0234	G 2-3/4"	11	120	81.32
SA225HSG0078	G 7/8"	14	65	30.06	SA225HSG0300	G 3"	11	150	87.67
SA225HSG0100	G 1"	11	65	33.07	SA225HSG0312	G 3-1/2"	11	150	100.11
SA225HSG0118	G 1-1/8"	11	75	37.72	SA225HSG0400	G 4"	11	180	112.81
SA225HSG0114	G 1-1/4"	11	75	41.73					

SA225TH

**Trusă filiere și tarozi, filet metric
pas normal DIN EN 22568
DIN 352 M3-M12 - HSS**



Toleranță 2N



Toleranță 6g





Trusă M3 - M12 - HSS

Tarozi la set - DIN 352: M12, 14, 16, 18, 20
Filieri - DIN - EN 22568: M12, 14, 16, 18, 20
Port filieră - 2 buc.; Port tarod - 1 buc.; Surubelniță - 1 buc.

SA225THS

**Trusă filiere și tarozi, filet metric pas normal DIN EN 22568
DIN 352 M12-M20 - HSS**



Trusă M12 - M20 - HSS



Tarozi la set - DIN 352: M12, 14, 16, 18, 20

Filieri - DIN - EN 22568: M12, 14, 16, 18, 20

Port filieră - 2 buc.; Port tarod - 1 buc.

SA225TTH

**Trusă filiere și tarozi, filet metric pas normal DIN EN 22568
DIN 352 M3-M24 - Carbon HSS**



Trusă M3 - M24 - HSS



Tarozi la set - DIN 352: M3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24

Filieri - DIN - EN 22568: M3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24

Port filieră - 3 buc.; Port tarod - 2 buc.

SA225TTHS

**Trusă filiere și tarozi, filet metric pas normal DIN EN 22568
DIN 352 M3-M30 - HSS**



Trusă M3 - M30 - Carbon steel

Tarozi la set - DIN 352: M3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30

Filieri - DIN - EN 22568: M3, 4, 5, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30

Port filieră - 3 buc.; Port tarod - 2 buc.; Șurubelniță - 1 buc.

Lined writing area consisting of 30 horizontal blue lines.